

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	67	(OLED LED) and (TFT thin film transistor) and (plural\$3 multiple) adj (storage capacitor) with switch\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/19 08:25
S2	9	S1 and (threshold adj voltage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 17:35
S3	33	S1 and (@ad<="20030401")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 17:40
S4	65556	(OLED LED) and (TFT thin film transistor) and (capacitor C) and switch\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 17:45
S5	742	S4 and 345/76-82.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 17:45
S6	738	S5 and (threshold voltage power)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 17:46
S7	730	S6 and (data current Idata)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 17:47

EAST Search History

S8	294	S7 and (@ad<="20030401")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/19 09:03
S10	14009	(OLED LED) and (TFT thin film transistor) and (storage capacitor) with switch\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/19 09:10
S11	498	S10 and 345/76-82.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/19 09:10
S12	181	S11 and (@ad<="20030401")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/19 09:11
S13	3826374	(OLED LED) and TFT thin film transistor and (storage capacitor) with switch\$3 and 315/169.1,169.3, 169.4.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/19 09:15
S14	265	(OLED LED) and (TFT thin film transistor) and (storage capacitor) with switch\$3 and 315/169.1,169.3, 169.4.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/19 09:16
S15	115	S14 and (threshold adj voltage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/19 09:16

EAST Search History

S16	4715	(OLED LED) and (TFT thin film transistor) and (storage capacitor) and (first second) adj (voltage power)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/19 10:25
S17	1157	S16 and (threshold adj voltage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/19 10:26
S18	291	S17 and (first second third) adj switch\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/19 10:28
S19	131	S18 and (@ad<="20030401")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/19 10:42
S20	14288	(OLED LED) and (TFT thin film transistor) and (storage capacitor) with (current Idata)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/19 10:44
S21	582	S20 and (first second third)adj switch\$3 and (threshold adj voltage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/19 10:58
S22	149	S21 and 345/76-82.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/19 10:58

EAST Search History

S23	27	S22 and (@ad<="20030401")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/19 11:00
S24	0	S21 and 315/169.1-169.4.ccls/	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/19 11:00
S25	59	S21 and 315/169.1-169.4.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/19 11:01